ELSEVIER

Journal of Crystal Growth 137 (1994) 681–687

JOURNAL OF CRYSTAL GROWTH

Author index

Abousahl, S., C. Loos-Neskovic and M. Fedoroff, Mechanism of the preparation of insoluble compounds by local growth in aqueous solution 137 (1994) 569
Adamski, J.A., see Bliss 137 (1994) 145
Aggarwal, M.D., W.S. Wang, J. Choi, J.C. Cochrane and Z.Y. Wang, Morphology and formation of the color core of $Bi_{12}SiO_{20}$ crystals grown by the Czochralski method 137 (1994) 132
Akasaki, I., see Detchprohm 137 (1994) 170
Aldinger, F., see Seher 137 (1994) 452
Alex, V., see Uecher 137 (1994) 278
Anbukumar, S., see Ravi 137 (1994) 598
Andreeta, J.P., see Prokofiev 137 (1994) 528
Andreeta, M.R.B., see Prokofiev 137 (1994) 528
Andrews, R.N., see Beske 137 (1994) 102
Andrews, R.N., see Price 137 (1994) 201
Angert, N., L. Kaplun, M. Tseitlin, E. Yashchin and M. Roth, Growth and domain structure of potassium titanyl phosphate crystals pulled from high-temperature solutions 137 (1994) 116
Anselmetti, D., see Schlom 137 (1994) 259
Anzai, Y., see Shigematsu 137 (1994) 509
Arai, Y., see Ono 137 (1994) 427
Arends, J., see Christoffersen 137 (1994) 545
Arikawa, Y., see Beske 137 (1994) 102
Armington, A.F., see Harris 137 (1994) 128
Armington, A.F., see Bliss 137 (1994) 145
Ataka, M., see Niimura 137 (1994) 671
Azoulay, M., M. Sinvani, M. Mizrachi and H. Feldstein, Stripe structure CdTe–CdZnTe–CdTe in a bulk single crystal 137 (1994) 208
Azoulay, M., see George 137 (1994) 299

Balakrishnan, K. and P. Ramasamy, Study of anomalous electrical behaviour of molybdenum ditelluride single crystals 137 (1994) 309
Barnett, S.A., see Choi 137 (1994) 381
Barrett, D.L., see Hobgood 137 (1994) 181
Batra, A.K., see Zhang 137 (1994) 141
Baucom, K.C., see Biefeld 137 (1994) 231
Bauser, E., see Weishart 137 (1994) 335
Bednorz, J.G., see Schlom 137 (1994) 259
Benz, K.W., see Cröll 137 (1994) 95
Benz II, R.G., see Maruyama 137 (1994) 435
Berglund, K.A., see Dunuwila 137 (1994) 561
Beske, S.A., Y. Arikawa, R.N. Andrews and W. Lundblad, Chemical compatibility studies of GaAs and CdZnTe with the alloys WC-103 and TZM 137 (1994) 102
Bhihe, C.K., P.A. Mataga, J.W. Hutchinson, S. Rajendran and J.P. Kalejs, Residual stresses in crystal growth 137 (1994) 86
Biao, Y., see George 137 (1994) 299
Biefeld, R.M., K.C. Baucom and S.R. Kurtz, The growth of $InAs_{1-z}Sb_z/InAs$ strained-layer superlattices by metalorganic chemical vapor deposition 137 (1994) 231
Bierlein, J.D., see Cheng 137 (1994) 107
Bill, J., see Seher 137 (1994) 452
Bliss, D.F., M. Harris, J. Horrigan, W.M. Higgins, A.F. Armington and J.A. Adamski, Synthesis and growth processes for zinc germanium diphosphide 137 (1994) 145
Bocchi, C., C. Ferrari, P. Franzosi, A. Bosacchi and S. Franchi, Accurate determination of lattice mismatch in the epitaxial AlAs/GaAs system by high-resolution X-ray diffraction (E) 137 (1994) 680
Bornside, D.E., see Zhou 137 (1994) 26
Borshchevsky, A. and J.-P. Fleurial, Ru_2Ge_3: crystal growth and some properties 137 (1994) 283
Bosacchi, A., see Bocchi 137 (1994) 680
Bourkiza, M., see Nacer 137 (1994) 91
Brandt, C.D., see Hobgood 137 (1994) 181
Brandt, G.B., see Singh 137 (1994) 155
Brown, R.A., D. Maroudas and T. Sinno, Modelling point defect dynamics in the crystal growth of silicon 137 (1994) 12
Brown, R.A., see Zhou 137 (1994) 26
Brush, L.N., G.B. McFadden and S.R. Coriell, The effect of crystalline anisotropy on pattern formation in laser-melted thin silicon films 137 (1994) 355
Bucher, E., see Oglesby 137 (1994) 289
Burger, A., see George 137 (1994) 299
Burk, A.A., see Hobgood 137 (1994) 181

Carroll II, L.B., see Dunuwila 137 (1994) 561
Carvalho, J.F., see Prokofiev 137 (1994) 528
Casagrande, L.G., D.J. Larson, Jr., D. Di Marzio, J. Wu and M. Dudley, The growth and comparison of large-diameter vertical Bridgman CdZnTe and CdTe 137 (1994) 195
Chait, A., see Korpela 137 (1994) 623
Chang, C.-M., see Lin 137 (1994) 400
Charles, J.B., see Dhas 137 (1994) 295
Chen, C.P., see Kou 137 (1994) 663
Cheng, L.K., L.T. Cheng, J. Galperin, P.A. Morris Hotsenpiller and J.D. Bierlein, Crystal growth and characterization of $KTiOPO_4$ isomorphs from the self-fluxes 137 (1994) 107
Cheng, L.T., see Cheng 137 (1994) 107
Chiang, J.D., see Li 137 (1994) 421
Chien, F.-R., S.R. Nutt, W.S. Yoo, T. Kimoto and H. Matsunami, Interface structures of epitaxial β-SiC on α-SiC substrates 137 (1994) 175
Choi, C.-H. and S.A. Barnett, Morphology and crystalline perfection of InAs films on Si(100) 137 (1994) 381
Choi, J., see Aggarwal 137 (1994) 132
Choyke, W.J., see Hobgood 137 (1994) 181
Christoffersen, J., M.R. Christoffersen, J. Arends and M. Höök, Effects of aluminium(III) and fluoride on the demineralization of bovine enamel powder and hydroxyapatite; in vitro kinetic studies showing synergistic inhibition 137 (1994) 545
Christoffersen, M.R., see Christoffersen 137 (1994) 545
Clarke, R.C., see Hobgood 137 (1994) 181
Cochrane, J.C., see Aggarwal 137 (1994) 132
Cole-Hamilton, D.J., see Hoare 137 (1994) 347
Collins, W.E., see George 137 (1994) 299
Conte-Matos, A., see Maruyama 137 (1994) 435
Coquerel, G., see Petit 137 (1994) 585
Coriell, S.R., see Brush 137 (1994) 355
Cormier, J.E., see Harris 137 (1994) 128
Cröll, A., P. Dold and K.W. Benz, Segregation in Si floating-zone crystals grown under microgravity and in a magnetic field 137 (1994) 95
Davis, R.F., Deposition and characterization of diamond, silicon carbide and gallium nitride thin films 137 (1994) 161
De Lima, C.J., see Prokofiev 137 (1994) 528
Debnam, W., see Rosch 137 (1994) 54
Detchprohm, T., K. Hiramatsu, N. Sawaki and I. Akasaki, The homoepitaxy of GaN by metalorganic vapor phase epitaxy using GaN substrates 137 (1994) 170
Dhanasekaran, R., see Gopalakrishnan 137 (1994) 235
Dhas, R.C., J.B. Charles and F.D. Gnanam, Growth and microhardness studies on $NH_4Sb_3F_{10}$ single crystals 137 (1994) 295
Di Marzio, D., see Casagrande 137 (1994) 195
Doerschel, J., see Uecher 137 (1994) 278
Dold, P., see Cröll 137 (1994) 95
Dudley, M., see Casagrande 137 (1994) 195
Dunuwila, D.D., L.B. Carroll II and K.A. Berglund, An investigation of the applicability of attenuated total reflection infrared spectroscopy for measurement of solubility and supersaturation of aqueous citric acid solutions 137 (1994) 561

Eidenzon, A.M., see Puzanov 137 (1994) 642
Elban, W.L., D.B. Sheen and J.N. Sherwood, Vickers hardness testing of sucrose single crystals 137 (1994) 304
Erb, A., T. Traulsen and G. Müller-Vogt, $YBa_2Cu_3O_{7-\delta}$–$BaCuO_2$–CuO: investigations on the phase diagram and growth of single crystals. II 137 (1994) 487
Ernst, F., see Roos 137 (1994) 457

Falini, G., M. Gazzano and A. Ripamonti, Crystallization of calcium carbonate in presence of magnesium and polyelectrolytes 137 (1994) 577
Favier, J.J., see Sixou 137 (1994) 605
Fedoroff, M., see Abousahl 137 (1994) 569
Feigelson, R.S., see Helbing 137 (1994) 150
Feldstein, H., see Azoulay 137 (1994) 208
Ferrari, C., see Bocchi 137 (1994) 680
Fleurial, J.-P., see Borschchevsky 137 (1994) 283
Foster, D.F., see Hoare 137 (1994) 347
Fradkov, V.E., see Glicksman 137 (1994) 1
Franchi, S., see Bocchi 137 (1994) 680
Franzosi, P., see Bocchi 137 (1994) 680
Fripp, A., see Rosch 137 (1994) 54
Fujiwara, S., see Takahashi 137 (1994) 240
Fukuda, T., see Machida 137 (1994) 82
Fukuda, T., see Machida 137 (1994) 516

Gaines, J.M. In-situ characterization of II/VI molecular beam epitaxy growth using reflection high-energy electron diffraction oscillations 137 (1994) 187
Galperin, J., see Cheng 137 (1994) 107
Gazzano, M., see Falini 137 (1994) 577
Ge, P., see Xu 137 (1994) 538
George, M.A., M. Azoulay, H.N. Jayatirtha, Y. Biao, A. Burger, W.E. Collins and E. Silberman, Atomic force microscopy of lead iodide crystal surfaces 137 (1994) 299
Gerber, Ch., see Schlom 137 (1994) 259
Gillen, G., see Kaiser 137 (1994) 136
Glicksman, M.E., M.B. Koss, V.E. Fradkov, M.E. Rettenmayr and S.S. Mani, Quantification of crystal morphology 137 (1994) 1

Glicksman, M.E., see Singh 137 (1994) 155
Glidewell, C., see Hoare 137 (1994) 347
Gnanam, F.D., see Dhas 137 (1994) 295
Gnezdilov, V.P., see Webb 137 (1994) 405
Gopalakrishnan, N., R. Dhanasekaran and P. Ramasamy, Investigations on the two-dimensional nucleation and growth kinetics of InP vapour phase epitaxy 137 (1994) 235
Gottlieb, M., see Singh 137 (1994) 155
Greggi, J., see Hobgood 137 (1994) 181
Gruehn, R., see Lenz 137 (1994) 499
Gu, G.D., K. Takamuka, N. Koshizuka and S. Tanaka, Growth and superconductivity of $Bi_{2.1}Sr_{1.9}Ca_{1.0}(Cu_{1-y}Fe_y)_2O_x$ single crystal 137 (1994) 472

Han, T.S., see Oka 137 (1994) 479
Hannan, M., see Pandey 137 (1994) 268
Hanssen, L.M., see Snail 137 (1994) 676
Harris, M., J. Larkin, J.E. Cormier and A.F. Armington, Optical studies of Czochralski and hydrothermal bismuth silicate 137 (1994) 128
Harris, M., see Bliss 137 (1994) 145
Hartman, P., see Petit 137 (1994) 585
Hashimoto, A., see Yamamoto 137 (1994) 415
Heberlein, J., see Snail 137 (1994) 676
Helbing, R. and R.S. Feigelson, Growth of SrS single crystals by physical vapor transport 137 (1994) 150
Hernandes, A.C., see Prokofiev 137 (1994) 528
Higgins, W.M., see Bliss 137 (1994) 145
Hiramatsu, K., see Detchprohm 137 (1994) 170
Hirano, M., see Ishibara 137 (1994) 375
Hoare, R.D., M.E. Pemble, I.M. Povey, J.O. Williams, D.F. Foster, C. Glidewell and D.J. Cole-Hamilton, The use of hex-5-enylarsine as a chemically designed precursor to probe the mechanisms of the metalorganic vapour phase epitaxy growth of gallium arsenide; consequences for reactor design 137 (1994) 347
Hobgood, H.M., D.L. Barrett, J.P. McHugh, R.C. Clarke, S. Sriram, A.A. Burk, J. Greggi, C.D. Brandt, R.H. Hopkins and W.J. Choyke, Large diameter 6H-SiC for microwave device applications 137 (1994) 181
Hohl, H., see Oglesby 137 (1994) 289
Holmes, K., see Rajendran 137 (1994) 77
Höök, M., see Christoffersen 137 (1994) 545
Hopkins, R.H., see Hobgood 137 (1994) 181
Horrigan, J., see Bliss 137 (1994) 145
Hoshikawa, K., see Machida 137 (1994) 82
Hoshikawa, K., see Machida 137 (1994) 516
Huo, C., see Xu 137 (1994) 538
Hutchinson, J.W., see Bhihe 137 (1994) 86
Hwang, C.-S., see Kaiser 137 (1994) 136

Iijima, M., Y. Moriwaki and Y. Kuboki, In vitro crystal growth of oxtacalcium phosphate on type I collagen fiber 137 (1994) 553
Ishihara, T., K. Murata, M. Sato, N. Kito and M. Hirano, New horizontal boat growth method of undoped semi-insulating GaAs with low dislocation density 137 (1994) 375
Ito, T., see Oka 137 (1994) 479

Jääskeläinen, T., see Prokofiev 137 (1994) 528
Jayaraman, D., see Kumar 137 (1994) 535
Jayatirtha, H.N., see George 137 (1994) 299
Jayavel, R., A. Thamizhavel, P. Murugakoothan, C.R. Venkateswara Rao, C. Subramanian and P. Ramasamy, Growth of large size twin free $YBa_2Cu_3O_{7-\delta}$ single crystals by a temperature gradient technique 137 (1994) 273
Jerman, Z., see Rieger 137 (1994) 595
Ji, Y., J. Liang and S. Xie, Phase relations in the system $BaO–Nd_2O_3–B_2O_3$ ($B_2O_3 \geq 50$ mol%) and crystal growth of Nd BaB_9O_{16} 137 (1994) 521
Jordan, A.S. and A. Robertson, Copyrolysis of AsH_3 and PH_3 in the epitaxial growth of ternary and quaternary III–V alloys 137 (1994) 224
Jou, M.-J., see Lin 137 (1994) 400

Kaiser, D.L., M.D. Vaudin, G. Gillen, C.-S. Hwang, L.H. Robins and L.D. Rotter, Growth and characterization of barium titanate thin films prepared by metalorganic chemical vapor deposition 137 (1994) 136
Kakibayashi, K., see Okuno 137 (1994) 313
Kalejs, J.P., see Bhihe 137 (1994) 86
Kameyama, T., see Onuma 137 (1994) 610
Kamshilin, A.A., see Prokofiev 137 (1994) 528
Kaplun, L., see Angert 137 (1994) 116
Katsura, T., see Niimura 137 (1994) 671
Kawano, T., see Okuno 137 (1994) 313
Kida, M., see Ono 137 (1994) 427
Kimoto, T., see Chien 137 (1994) 175
Kimura, S., see Shigematsu 137 (1994) 509
Kingetsu, T. and K. Sakai, Seeded epitaxial growth of close-packed metal films and their superlattices on silicon substrates 137 (1994) 633
Kito, N., see Ishibara 137 (1994) 375
Kloc, C., see Oglesby 137 (1994) 289
Koai, K., A. Seidl, H.-J. Leister, G. Müller and A. Köhler, Modelling of thermal fluid flow in the liquid encapsulated Czochralski process and comparison with experiments 137 (1994) 41
Koai, K., K. Sonnenberg and H. Wenzl, Influence of crucible support and radial heating on the interface shape during vertical Bridgman GaAs growth 137 (1994) 59

Kobayashi, T., see Oshima 137 (1994) 48
Koguchi, M., see Okuno 137 (1994) 313
Köhler, A., see Koai 137 (1994) 41
Kohno, K., see Takahashi 137 (1994) 240
Konuma, M., see Weishart 137 (1994) 335
Korpela, S.A., A. Chait and D.H. Matthiesen, Lateral or radial segregation in solidification of binary alloy with a curved liquid–solid interface 137 (1994) 623
Koshizuka, N., see Gu 137 (1994) 472
Koss, M.B., see Glicksman 137 (1994) 1
Kou, S., see Tao 137 (1994) 72
Kou, S., and C.P. Chen, Modified floating-zone growth of organic single crystals 137 (1994) 663
Kuboki, Y., see Iijima 137 (1994) 553
Kumar, F.J., D. Jayaraman, C. Subramanian and P. Ramasamy, Nucleation kinetic study of $KTiOPO_4$ crystallizing from high temperature solution 137 (1994) 535
Kurita, S., see Takahashi 137 (1994) 240
Kurtz, S.R., see Biefeld 137 (1994) 231

Lal, R.B., see Zhang 137 (1994) 141
Larkin, J., see Harris 137 (1994) 128
Larson, Jr., D.J., see Casagrande 137 (1994) 195
Laugier, J., see Rössner 137 (1994) 393
Lawson, C.M. and R.R. Michael, Fiber optic low-coherence interferometry for non-invasive silicon wafer characterization 137 (1994) 37
Lee, B.-J., see Lin 137 (1994) 400
Lehoczky, S.L., see Price 137 (1994) 201
Leister, H.-J., see Koai 137 (1994) 41
Leister, H.-J., see Seidl 137 (1994) 326
Lenz, M. and R. Gruehn, Chemical vapour transport of tungsten dioxide using $HgBr_2$ as transport agent; experiments and thermochemical calculations 137 (1994) 499
Li, J.W., J.D. Chiang, Y.K. Su and M. Yokoyama, The preparation of ZnS thin films on an indium tin oxide/glass substrate by low-pressure metalorganic chemical vapor deposition 137 (1994) 421
Liang, J., see Ji 137 (1994) 521
Lin, J.-F., M.-C. Wu, M.-J. Jou, C.-M. Chang and B.-J. Lee, AlGaInP/GaInP double-heterostructure orange light-emitting diodes on GaAsP substrates prepared by metalorganic vapor-phase epitaxy 137 (1994) 400
Lockwood, D.J., see Webb 137 (1994) 405
Loos-Neskovic, C., see Abousahl 137 (1994) 569
Lu, Z.P., see Snail 137 (1994) 676
Lundblad, W., see Beske 137 (1994) 102

Machida, H., K. Hoshikawa and T. Fukuda, Spiral growth of rutile single crystal boules in the edge-defined film-fed growth process 137 (1994) 82
Machida, H., K. Hoshikawa and T. Fukuda, Growth of TiO_2 single crystals using the edge-defined, film-fed growth technique 137 (1994) 516
Magnea, N., see Rössner 137 (1994) 393
Majewski, J.A. and D.H. Matthiesen, Quantitative infrared imaging for the measurement of dopant distribution in gallium arsenide 137 (1994) 249
Mani, S.S., see Glicksman 137 (1994) 1
Mannhart, J., see Schlom 137 (1994) 259
Maroudas, D., see Brown 137 (1994) 12
Maruyama, K., R.G. Benz II, A. Conte-Matos, B.K. Wagner and C.J. Summers, Gas source doping of molecular beam epitaxially grown CdTe using arsine 137 (1994) 435
Mataga, P.A., see Bhihe 137 (1994) 86
Matsunami, H., see Chien 137 (1994) 175
Matthiesen, D.H., see Majewski 137 (1994) 249
Matthiesen, D.H., The total pressure of arsenic over molten gallium arsenide at 1260°C 137 (1994) 255
Matthiesen, D.H., see Korpela 137 (1994) 623
Mazelsky, R., see Singh 137 (1994) 155
McCord, G., see Seidl 137 (1994) 326
McFadden, G.B., see Brush 137 (1994) 355
McHugh, J.P., see Hobgood 137 (1994) 181
Menken, M.J.V., see Oka 137 (1994) 479
Menna, A., see Rajendran 137 (1994) 77
Menovsky, A.A., see Oka 137 (1994) 479
Michael, R.R., see Lawson 137 (1994) 37
Minezaki, Y., see Niimura 137 (1994) 671
Mizrachi, M., see Azoulay 137 (1994) 208
Moe, A.M., see Oka 137 (1994) 479
Moriwaki, Y., see Iijima 137 (1994) 553
Morris Hotsenpiller, P.A., see Cheng 137 (1994) 107
Mukai, K., M. Sugawara and S. Yamazaki, Enhancement of thermal stability in $In_{0.53}Ga_{0.47}As/InP$ quantum wells 137 (1994) 388
Müller, G., see Koai 137 (1994) 41
Müller, G., see Ostrogorsky 137 (1994) 64
Müller, G., see Seidl 137 (1994) 326
Müller-Vogt, G., see Erb 137 (1994) 487
Murata, K., see Ishibara 137 (1994) 375
Murugakoothan, P., see Jayavel 137 (1994) 273

Nacer, A. and M. Bourkiza, Diffusion coefficients in solid systems 137 (1994) 91
Nakajima, K., Stress calculation based on three-dimensional deformation of In GaAs/GaAs heterostructure with a graded layer 137 (1994) 667
Nakamura, K., see Okuno 137 (1994) 313
Niimura, N., Y. Minezaki, M. Ataka and T. Katsura, Small angle neutron scattering from lysozyme in unsaturated solutions, to characterize the pre-crystallization process 137 (1994) 671
Nutt, S.R., see Chien 137 (1994) 175

Oglebsy, C.S., E. Bucher, C. Kloc and H. Hohl, Growth of faceted niobium diselenide 137 (1994) 289
Ohashi, Y., see Oka 137 (1994) 479
Ohkubo, M., see Yamamoto 137 (1994) 415
Oka, K., M.J.V. Menken, Z. Tarnawski, A.A. Menovsky, A.M. Moe, T.S. Han, H. Unoki, T. Ito and Y. Ohashi, Crystal growth of $La_{2-x}Sr_xCuO_{4-\delta}$ by the travelling-solvent floating-zone method 137 (1994) 479
Okuno, Y., T. Kawano, M. Koguchi, K. Nakamura and K. Kakibayashi, Dislocation reduction in InP layers grown on sawtooth-patterned GaAs substrates 137 (1994) 313
Omote, K., see Shigematsu 137 (1994) 509
Ono, N., M. Kida, Y. Arai and K. Sahira, A numerical study on oxygen transport in silicon melt in a double-crucible method 137 (1994) 427
Onuma, K., T. Kameyama and K. Tsukamoto, In situ study of surface phenomena by real time phase shift interferometry 137 (1994) 610
Oshima, M., N. Taniguchi and T. Kobayashi, Numerical investigation of three-dimensional melt convection with the magnetic Czochralski method 137 (1994) 48
Ostrogorsky, A.G. and G. Müller, Normal and zone solidification using the submerged heater method 137 (1994) 64

Pandey, R.K., M. Hannan and K.K. Raina, Single crystal growth of $Bi_2CaSr_2Cu_2O_{8+x}$ superconductor by traveling zone method 137 (1994) 268
Park, Y., M. Skowronski and T.M. Rosseel, Incorporation of aluminum and oxygen in dimethylaluminum methoxide doped GaAs during organometallic vapor phase epitaxy 137 (1994) 442
Pemble, M.E., see Hoare 137 (1994) 347
Pendergrass, T.K., see Rosch 137 (1994) 54
Perlov, D. and M. Roth, Isothermal growth of β-barium metaborate single crystals by continuous feeding in the top-seeded solution growth configuration 137 (1994) 123
Pfender, E., see Snail 137 (1994) 676
Petit, S., G. Coquerel and P. Hartman, Nucleation and crystal growth of molecular solvates with several conformations both in solution and in solid state; application to some hydrated copper(II) sulfoxinates 137 (1994) 585
Povey, I.M., see Hoare 137 (1994) 347
Price, M.W., R.N. Andrews, C.H. Su, S.L. Lehoczky and F.R. Szofran, The effect of a transverse magnetic field on the microstructure of directionally solidified CdTe 137 (1994) 201
Prokofiev, V.V., J.P. Andreeta, C.J. de Lima, M.R.B. Andreeta, A.C. Hernandes, J.F. Carvalho, A.A. Kamshilin and T. Jääskeläinen, Growth of single-crystal photorefractive fibers of $Bi_{12}SiO_{20}$ and $Bi_{12}TiO_{20}$ by the laser-heated pedestal growth method 137 (1994) 528
Puzanov, N.I. and A.M. Eidenzon, Formation of the bands of anomalous oxygen precipitation in Czochralski-grown Si crystals 137 (1994) 642

Queisser, H.-J., see Weishart 137 (1994) 335
Raina, K.K., see Pandey 137 (1994) 268
Rajendran, S., K. Holmes and A. Menna, Three-dimensional magnetic induction model of an octagonal edge-defined film-fed growth system 137 (1994) 77
Rajendran, S., see Bhihe 137 (1994) 86
Ramasamy, P., see Gopalakrishnan 137 (1994) 235
Ramasamy, P., see Jayavel 137 (1994) 273
Ramasamy, P., see Balakrishnan 137 (1994) 309
Ramasamy, P., see Kumar 137 (1994) 535
Ramasamy, P., see Ravi 137 (1994) 598
Ravi, G., K. Srinivasan, S. Anbukumar and P. Ramasamy, Growth and characterization of sulphate mixed L-arginine phosphate and ammonium dihydrogen phosphate/potassium dihydrogen phosphate mixed crystals 137 (1994) 598
Reiche, P., see Uecker 137 (1994) 278
Rettenmayr, M.E., see Glicksman 137 (1994) 1
Riedel, R., see Seher 137 (1994) 452
Rieger, A., Z. Jerman and O. Söhnel, A new crystal modification of $MgSO_3 \cdot 3H_2O$ 137 (1994) 595
Ripamonti, A., see Falini 137 (1994) 577
Robertson, A., see Jordan 137 (1994) 224
Robins, L.H., see Kaiser 137 (1994) 136
Roos, B. and F. Ernst, Thermal-stress-induced dislocations in GeSi/Si heterostructures 137 (1994) 457
Rosch, W., A. Fripp, W. Debnam and T.K. Pendergrass, Heat transfer measurements in the Bridgman configuration 137 (1994) 54
Rosseel, T.M., see Park 137 (1994) 442
Rössner, U., J. Laugier and N. Magnea, Structural characterization of $Cd_{1-x}Zn_xTe(001)$ layers grown by molecular beam epitaxy on $Cd_{0.96}Zn_{0.04}Te$ substrates 137 (1994) 393
Roth, M., see Angert 137 (1994) 116
Roth, M., see Perlov 137 (1994) 123
Rotter, L.D., see Kaiser 137 (1994) 136
Rouzaud, A., see Sixou 137 (1994) 605

Sahira, K., see Ono 137 (1994) 427
Sakai, K., see Kingetsu 137 (1994) 633
Sato, M., see Ishibara 137 (1994) 375

Sawaki, N., see Detchprohm 137 (1994) 170
Schalge, R., see Uecher 137 (1994) 278
Schlom, D.G., D. Anselmetti, J.G. Bednorz, Ch. Gerber and J. Mannhart, Epitaxial growth of cuprate superconductors from the gas phase 137 (1994) 259
Seher, M., J. Bill, F. Aldinger and R. Riedel, Crystallization kinetics of polysilazane-derived amorphous silicon nitride 137 (1994) 452
Seidl, A., see Koai 137 (1994) 41
Seidl, A., G. McCord, G. Müller and H.-J. Leister, Experimental observation and numerical simulation of wave patterns in a Czochralski silicon melt 137 (1994) 326
Sheen, D.B., see Elban 137 (1994) 304
Sherwood, J.N., see Elban 137 (1994) 304
Shibano, E., see Takahashi 137 (1994) 240
Shigematsu, K., Y. Anzai, K. Omote and S. Kimura, Thermal properties of molten bismuth germanates 137 (1994) 509
Shih, W.-C. and M.-S. Wu, Growth of ZnO films on GaAs substrates with a SiO_2 buffer layer by RF planar magnetron sputtering for surface acoustic wave applications 137 (1994) 319
Silberman, E., see George 137 (1994) 299
Singh, N.B., M. Gottlieb, G.B. Brandt, A.M. Stewart, R. Mazelsky and M.E. Glicksman, Growth and characterization of mercurous halide crystals: mercurous bromide system 137 (1994) 155
Sinno, T., see Brown 137 (1994) 12
Sinvani, M., see Azoulay 137 (1994) 208
Sixou, B., A. Rouzaud and J.J. Favier, Growth kinetics in ultra-pure bismuth using a thermoelectric method for interface temperature measurements 137 (1994) 605
Skowronski, M., see Park 137 (1994) 442
Snail, K.A., Z.P. Lu, R. Weimer, J. Heberlein, E. Pfender and L.M. Hanssen, Confirmation of {113} facets on diamond grown by chemical vapor deposition 137 (1994) 676
Söhnel, O., see Reiger 137 (1994) 595
Sonnenberg, K., see Koai 137 (1994) 59
Srinivasan, K., see Ravi 137 (1994) 598
Sriram, S., see Hobgood 137 (1994) 181
Stewart, A.M., see Singh 137 (1994) 155
Stringfellow, G.B., Fundamentals of thin film growth 137 (1994) 212
Su, C.H., see Price 137 (1994) 201
Su, Y.K., see Li 137 (1994) 421
Subramanian, C., see Jayavel 137 (1994) 273
Subramanian, C., see Kumar 137 (1994) 535
Sugawara, M., see Mukai 137 (1994) 388
Suito, H., see Takaoka 137 (1994) 493
Sukegawa, T., see Watanabe 137 (1994) 245
Summers, C.J., see Maruyama 137 (1994) 435
Szofran, F.R., see Price 137 (1994) 201
Tadatomo, K., see Watanabe 137 (1994) 245
Takahashi, N.S., S. Fujiwara, K. Kohno, E. Shibano and S. Kurita, AlGaInP/AlGaAs double heterostructure light emitting diode grown by liquid phase epitaxy 137 (1994) 240
Takamura, K., see Gu 137 (1994) 472
Takaoka, H. and H. Suito, Substitution of Co^{2+} and/or Ti^{4+} ions in strontium hexaferrite grown from $SrO–Fe_2O_3–B_2O_3$ melts 137 (1994) 493
Tanaka, A., see Watanabe 137 (1994) 245
Tanaka, S., see Gu 137 (1994) 472
Taniguchi, N., see Oshima 137 (1994) 48
Tao, Y. and S. Kou, Flow visualization in floating zone crystal growth – a videotape movie 137 (1994) 72
Tarnawski, Z., see Oka 137 (1994) 479
Thamizhavel, A., see Jayavel 137 (1994) 273
Traulsen, T., see Erb 137 (1994) 487
Tseitlin, M., see Angert 137 (1994) 116
Tsujino, M., see Yamamoto 137 (1994) 415
Tsukamoto, K., see Onuma 137 (1994) 610

Uecker, R., P. Reiche, V. Alex, J. Doerschel and R. Schalge, The problem of twinning in $NdGaO_3$ Czochralski crystals 137 (1994) 278
Unoki, H., see Oka 137 (1994) 479

Vaudin, M.D., see Kaiser 137 (1994) 136
Venkateswara Rao, C.R., see Jayavel 137 (1994) 273
Vivès, C., Crystallization of semi-solid magnesium alloys and composites in the presence of magnetohydrodynamic shear flows 147 (1994) 653

Wagner, B.K., see Maruyama 137 (1994) 435
Walker, J.S. and M.G. Williams, Centrifugal pumping during Czochralski silicon growth with a strong transverse magnetic field 137 (1994) 32
Wang, W.S., see Aggarwal 137 (1994) 132
Wang, Z.Y., see Aggarwal 137 (1994) 132
Watanabe, S., K. Tadatomo, T. Sukegawa and A. Tanaka, The effect of indium–bismuth solvent on the composition of In GaP grown by the "yo-yo" solute feeding method 137 (1994) 245
Webb, J.B., D.J. Lockwood and V.P. Gnezdilov, Magnetron sputter epitaxy and characterization of InSb/$In_{1-x}Al_xSb$ strained layer superlattices 137 (1994) 405
Weimer, R., see Snail 137 (1994) 676
Weishart, H., E. Bauser, M. Konuma and H.-J. Queisser, Monomolecular steps of ultra-low density on (100) growth faces of liquid phase epitaxial GaAs 137 (1994) 335
Wenzl, H., see Koai 137 (1994) 59

Williams, J.O., see Hoare 137 (1994) 347
Williams, M.G., see Walker 137 (1994) 32
Wu, J., see Casagrande 137 (1994) 195
Wu, M.-S., see Shih 137 (1994) 319
Wu, M.-C., see Lin 137 (1994) 400

Xie, S., see Ji 137 (1994) 521
Xu, Z., C. Huo, P. Ge and Z. Zhu, Characteristics of crystal growth from solution: scaling laws 137 (1994) 538

Yamamoto, A., M. Tsujino, M. Ohkubo and A. Hashimoto, Nitridation effects of substrate surface on the metalorganic chemical vapor deposition growth of InN on Si and α-Al_2O_3 substrates 137 (1994) 415
Yamazaki, S., see Mukai 137 (1994) 388
Yashchin, E., see Angert 137 (1994) 116
Yokoyama, M., see Li 137 (1994) 421
Yoo, W.S., see Chien 137 (1994) 175

Zhang, H.W., A.K. Batra and R.B. Lal, Growth of large methyl-(2,4-dinitrophenyl)-aminopropanoate : 2-methyl-4-nitroaniline for nonlinear optical applications 137 (1994) 141
Zhou, W., D.E. Bornside and R.A. Brown, Dynamic simulation of Czochralski crystal growth using an integrated thermal-capillary model 137 (1994) 26
Zhu, Z., see Xu 137 (1994) 538

ELSEVIER

Journal of Crystal Growth 137 (1994) 688–692

JOURNAL OF CRYSTAL GROWTH

Subject index

Adducts
– for gallium arsenide 347
Alkali
– titanyl arsenate 107
– titanyl phosphate 107
Alloys
– binary 623
– of copper 91
– of gold 91
– of magnesium–aluminum 653
Aluminum
– arsenide 680
– gallium indium phosphide 240, 400
– organic 442
Ammonium
– dihydrogen phosphate 598
– triantimony decafluoride 295
Apparatus
– for melt growth
– – by floating zone method
– – – of organic crystals 663
– – by laser heated pedestal growth
– – – of bismuth silicon oxide 528
– – – of bismuth titanium oxide 528
– for solution growth
– – by flux method
– – – of alkali titanyl arsenate 107
– – – of alkali titanyl phosphate 107
– – by low temperature method
– – – of organic crystals 141
– – by yo-yo solute feeding method
– – – of indium gallium phosphide 245
– for thin film growth
– – by vapor phase epitaxy
– – – through metalorganic chemical vapor deposition (research scale)
– – – – of barium titanate 136
– for miscellaneous purposes
– – growth of organic crystals, by new crystallizer 141
– – in situ measurement of solubility and supersaturation using ATR IR spectroscopy 561
– – magnetic stirring using electromagnetic rheocaster 653
– – measurement of density and surface tension 509
– – measurement of wafer thickness 37
Aragonite 577
L-arginine phosphate (sulphate) 598
Arsenic
– organic 212, 347

Barium
– borate, meta, β 123
– nitrate 610
– organic 136
– titanate 136
Benzil 663
Biological mineralization
– of calcium carbonate 577
Bismuth 605
– germanate 509
– silicate 128, 132
– silicon oxide 528
– strontium calcium cuprate 268, 472
– titanium oxide 528
Bovine
– tooth enamel 545

Cadmium
– telluride 195, 201, 208, 435
– zinc telluride 102, 195, 393
Calcite 577
Calcium
– apatite 553
– carbonate 577
– hydroxyapatite 545
– octa, phosphate 553
Cellular growth
– of magnesium alloy 653
Characterization by
– atomic force microscopy
– – of lead iodide 299
– quantitative IR imaging
– – of dopant in gallium arsenide 249
Citric acid 561
Computer aided image analysis 1
Computer simulation
– of dendritic morphology 1

- of diffusion coefficients 91
- of integrated thermal capillary model 26
- of magnetic induction model 77
- of oxygen transport in melt 427
- of point defects 12
- of stress 667
Convection 41, 48, 64, 72, 91, 95, 427, 538, 653
Copper
- alloy 91
- sulphoxinates 585

Dendritic growth
- of succinonitrile 1
Device characterization
- diodes 161, 240, 400
- electroluminescence 150
- electronic materials 155, 161, 181, 208, 249
- electro-optic switches 116
- frequency doubler 145
- heterojunction 161, 240, 400
- heterostructure 680
- optical parametric oscillator 145
- photorefractive materials 128
- quantum wells 388
- second harmonic generation 123
- surface acoustic wave application 319
- wavelength convector 145
Diamond 161, 676
Diffusional control
- of cadmium telluride 208
- of indium gallium arsenide 388
- of segregation 64, 623
- of solid systems 91
Diodes, see Device characterization
Dissolution
- of alloys with semiconductors 102
- of calcium hydroxyapatite 545
- of potassium titanyl phosphate in polyphosphate fluxes 535

Electronic materials, see Device characterization
Epitaxy, see Thin film growth
Etching
- chemical 201, 289, 299, 653
- thermal 208

Finite element model
- of gallium arsenide 59
- of silicon 26

Gallium 41, 64
- arsenide 59, 102, 224, 249, 255, 335, 347, 375, 442, 667, 680
- nitride 161, 170
- organic 170, 212
Germanium 64
- silicide 457
Gold
- alloys 91

Heat flow control
- furnace design of 59
- measurement of 54
- of Czochralski method 278
- of EFG growth 82
- of LEC process 41
- of melt convection 48, 427
Heterojunction, see Device characterization
Hydrodynamics, see Convection

Indium
- aluminum antimonide 405
- antimonide 64, 405
- arsenide 231, 381
- arsenide antimonide 231
- gallium arsenide 388, 667
- gallium phosphide 245
- nitride 415
- phosphide 224, 235, 313

Interferometry
- using fiber optics
- - for wafer characterization 37

Kinetics
- of deposition 499
- of growth 82, 235, 335, 381, 452, 516, 538, 569, 610
- of inhibition of dissolution 545
- of interface control 335, 388
- of nucleation 161, 181, 235, 381, 535, 671

Lanthanum
- strontium cuprate 479
Lead
- iodide 299
Lysozyme 671

Magnesium
- alloys 653
- sulphite trihydrate 595
Melt growth technique
- of bismuth 605
- by Bridgman–Stockbarger method
- - of cadmium telluride 195
- - of cadmium zinc telluride 195
- - of gallium arsenide 59, 255, 375
- - theory of 54
- - under magnetic field
- - - of cadmium telluride 201
- - using submerged heater
- - - for steady state growth 64
- by Czochralski method
- - of bismuth silicate 128, 132
- - of gallium 41
- - of gallium arsenide 255
- - of neodymium gallate 278
- - of silicon 12, 26, 32, 326, 427, 642

– – under magnetic field 48
– – theory 41
– by edge defined film fed growth
– – of rutile 82, 516
– – of silicon 77, 86
– by floating zone method
– of bismuth strontium calcium cuprate 472
– – of lanthanum strontium cuprate 479
– – of organic crystals 663
– – of silicon 12, 95
– – of sodium nitrate 72
– by Kyropoulos method
– – of zinc germanium diphosphide 145
– by laser melting
– – of silicon 355
– by solidification using reinforcement and magnetic rotation
– – of magnesium alloy 653
– by traveling heater method
– – of bismuth strontium calcium cuprate 268
– – of lead iodide 299
– by uniaxial solidification
– – of binary alloy 623
– – of cadmium telluride 208
– – of ruthenium sesquigermanide 283
– – theory of 623
Mercury
– (I) bromide 155
Metals
– transition 633
Methyl-(2,4-dinitrophenyl)-aminopropanoate 141
2-Methyl-4-nitroaniline 141
Microgravity, growth under
– of binary alloy 623
– of gallium arsenide 255
– of organic crystals 663
– of silicon 95
Molybdenum
– ditelluride 309
Morphological stability
– of spiral growth 82, 516
– of thin film interfaces 355

Neodymium
– barium borate 521
– gallate 278
Niobium
– diselenide 289
– hafnium titanium alloy 102
Nonlinear optics, crystals for
– alkali titanyl arsenate 107
– alkali titanyl phosphate 107, 535
– β-barium (meta) borate 123
– organic crystals, mixed 141
Nucleation
– of indium phosphide 235
– of lysozyme 671
– of niobium diselenide 289
– of potassium titanyl phosphate 535
– of screw dislocations 259
Numbers
– Grashof 48, 72
– Hartmann 32
– Marangoni 72, 95
– Peclet 623
– Prandtl 538
– Rayleigh 538
– Reynolds 72
– Schmidt 538
Numerical model
– for investigation of influence of stresses 86
– of wave patterns in silicon melt 326

Organic crystals 663

Periodic bond chain theory
– of copper sulphoxinates, hydrated 585
Phase diagrams
– of barium oxide/neodymium oxide/boron oxide 521
– of magnesium aluminum alloy 653
– of magnesium sulphite trihydrate 595
– of potassium titanyl arsenate 107
– of ruthenium/germanium 283
– of yttrium barium copper oxide 487
Phosphorus
– organic 212
Potassium
– dihydrogen phosphate 598
– titanyl phosphate 107, 116, 535
Precursor
– for arsenides 212
– for barium titanate 136
– for gallium arsenide 347
– for phosphides 212
– for silicon nitride 452
– kinetics of reaction 212
Purification of materials
– of silicon carbide 181

Quantification of morphology 1
Quantum wells, see Device characterization

Ruthenium
– sesquigermanide 283
Rutile 82, 516

Salol 663
Silicon 12, 26, 32, 37, 48, 86, 95, 326, 355, 427, 642
– carbide 161, 175, 181
– nitride 452
– organic 400, 452
Sodium
– nitrate 72
Solution growth technique
– by flux method

– – of alkali titanyl arsenate 107
– – of alkali titanyl phosphate 107
– – of β-barium (meta) borate 123
– – of neodymium barium borate 521
– – of potassium titanyl phosphate 116, 535
– – of strontium hexaferrite 493
– – of yttrium barium cuprate 273, 487
– by hydrothermal growth
– – of bismuth silicate 128
– by isothermal method at high super saturation
– – of sucrose 304
– by local growth in solution
– – of zinc hexacyanoferrates 569
– by low temperature method
– – of ammonium dihydrogen phosphate 598
– – of ammonium triantimony decafluoride 295
– of L-arginine phosphate (sulphate) 598
– – of barium nitrate 610
– – of calcium carbonate 577
– – of copper sulphoxinates, hydrated 585
– – of magnesium sulphite trihydrate 595
– – of octacalcium phosphate 553
– – of organic crystals 141
– – of potassium dihydrogen phosphate 598
– – theory of 585
– by yo-yo solute feeding method
– – of indium gallium phosphide 245
– theory of 538
Statistical mechanics, molecular theory
– of defects 12
Stefan problem or moving boundary problem
– of silicon 26
Strontium
– hexaferrite 493
– sulphide 150
Succinonitrile 1
Sucrose 304
Superconductivity materials, high T_c
– bulk
– – of BiSCCO 268, 472
– – of LaSCO 479
– – of YBCO 273, 487
– film
– – of YBCO 259
Superconductivity materials, low T_c
– bulk
– of niobium diselenide 289
Superlattices, multilayers
– of close-packed metals 633
– of III–V compounds 231, 405
Surface energy, determination
– of potassium titanyl phosphate 535
Surface structure
– of barium nitrate 610
– of gallium arsenide 335
– of lead iodide 299
– of yttrium barium cuprate 259
Thin film growth, epitaxy
– by chemical beam epitaxy
– – theory of 212
– by laser ablation
– – of silicon 355
– by liquid phase epitaxy
– – of aluminum gallium indium phosphide 240
– – of gallium arsenide 335
– – of germanium silicide 457
– by magnetron sputtering
– – of indium aluminum antimonide 405
– – of indium antimonide 405
– – of zinc oxide 319
– by metalorganic molecular beam epitaxy
– – theory of 224
– by migration enhanced epitaxy
– – of zinc cadmium selenide 187
– – of zinc sulphoselenide 187
– by molecular beam epitaxy
– – of aluminum arsenide 680
– – of cadmium telluride 435
– – of cadmium zinc telluride 393
– – of gallium arsenide 680
– – of indium arsenide 381
– – of transition metals 633
– – of zinc cadmium selenide 187
– – of zinc sulphoselenide 187
– – theory of 212
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of diamond 161, 676
– – – of gallium nitride 161
– – – of silicon carbide 161, 175
– – through co-deposition methods
– – – of yttrium barium cuprate 259
– – through metalorganic chemical vapor deposition
– – – of aluminum gallium indium phosphide 400
– – – of barium titanate 136
– – – of gallium arsenide 347, 442
– – – of gallium nitride 170
– – – of indium arsenide 231
– – – of indium arsenide antimonide 231
– – – of indium nitride 415
– of indium phosphide 313
– – – of zinc sulphide 421
– – – theory of 212, 224
– – theory of 235
Titanium
– dioxide 82, 516
– organic 136
– zirconium molybdenum alloy 102
Tungsten
– dioxide 499
Twinning
– of neodymium gallate 278
– of ruthenium sesquigermanate 283

Vapor growth technique
– by chemical transport
– – of molybdenum ditelluride 309
– – of niobium diselenide 289
– – of tungsten dioxide 499
– – of zinc germanium diphosphide 145
– by evaporation and condensation
– – of mercury(I) bromide 155
– – of silicon carbide 181
– – of silicon nitride 452
– – of strontium sulphide 150
Vaterite 577

Yttrium
– barium cuprate 487

Zinc
– cadmium selenide 187
– germanium diphosphide 145
– hexacyanoferrates 569
– organic 400, 421
– oxide 319
– sulphide 421
– sulphoselenide 187